

**MATERIAL SAFETY DATA SHEET**  
**ZOECON® PETCOR® FLEA SPRAY**

**Manufacturer:** Wellmark International  
**Address:** 1100 East Woodfield Road, Suite 500 Schaumburg, IL 60173  
**Emergency Phone:** 1-800-248-7763  
**Transportation Emergency Phone:** CHEMTREC: 1-800-248-7763

**1. CHEMICAL PRODUCT INFORMATION**

**Product Name:** Zoecon® Petcor® Flea Spray  
**Chemical Name/Synonym:** (S)-Methoprene; isopropyl (2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate, Pyrethrins; a mixture of pyrethrin I, pyrethrin II, jasmolin I, jasmolin II, cinerin I, and cinerin II, Piperonyl Butoxide; 5-[2-(2-butoxyethoxy)ethoxymethyl]-6-propyl-1,3-benzodioxole, N-octyl bicycloheptane dicarboximide; N-(2ethylhexyl)-5-norbornene-2,3-dicarboximide  
**Chemical Family:** Terpenoid, Pyrethroid, Benzodioxole, Dicarboximide  
**Formula:** C19 H34 O3, C21 H28 O3, C22 H28 O5, C21 H30 O3, C22 H30 O5, C20 H28 O3 and C21 H28 O5 respectively, C19 H30 O5, C17 H25 O2  
**EPA Registration No.:** 2724-404  
**RF Number:** 9606

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
(S)-Methoprene: Isopropyl (2E,4E,7S)-11-methoxy-3,7,11, trimethyl-2,4-dodecadienoate	65733-16-6	0.27 %	Not established
Pyrethrins	8003-34-7	0.20%	5 mg/m3 (OSHA & ACGIH)
Piperonyl butoxide	51-03-6	0.37%	Not established
N-Octyl bicycloheptene dicarboximide	113-48-4	0.62%	Not established
Inert Ingredients: (nonhazardous and/or trade secret)		98.54	980 mg/m3 (OSHA);983 mg/m3 (ACGIH)

**3. HAZARD INFORMATION**

**PRECAUTIONARY STATEMENT**

Caution: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. May cause dermal sensitization.(Skin Allergy)

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

Those associated with allergies, hay fever, i.e., itchy, runny eyes, stuffy/runny nose, chest discomfort, possible hives. .

**PRIMARY ROUTE OF ENTRY**     Dermal/Eye: Yes                     Oral: Yes                     Inhalation: Yes

**ACUTE TOXICITY**

**Oral:** LD50 (rat): >34,000 mg/kg (HDT) Based on (S)-Methoprene

**Dermal:** LD50 (rat): >2,100 mg/kg (HDT)

**4HR** LD50 (rat): >210 mg/1 air (Based on RS-Methoprene)

**Inhalation:** LC50 (rat) 5mg/l (Based on Pyrethrins)

#### OTHER TOXICOLOGICAL INFORMATION

**Skin Irritation:** Non irritating (rabbit).

**Eye Irritation:** Moderately irritating (rabbit)

**Sensitizer:** Positive (guinea pig)

#### 4. FIRST AID MEASURES

**Eye:** Flush immediately with water. If irritation persists, get medical attention.

**Skin:** Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists

**Ingestion:** Call physician or Poison Control Center. Give 1-2 glasses of water and induce vomiting. Do not give anything by mouth or induce vomiting to an unconscious person.

**Inhalation:** Remove to fresh air

**Note to Physician:** Treat symptomatically

#### 5. FIRE FIGHTING MEASURES

**NFPA Rating:** **Health: 0**                      **Fire: 2**                      **Reactivity: 0**

**Flammability Class:** Flammable Liquid

**Flash Point:** 41° C (105.8° F)

**Explosive Limits (% of Volume):** UEL: 3 ; LEL:12 (Based on 1-methoxy – 2 –propanol)

**Extinguishing Media:** Dry chemical, CO2 or Alcohol foam (water may be ineffective)

**Special Protective Equipment:** Firefighters should wear full protective clothing including self-contained breathing apparatus.

**Fire Fighting Procedures:** Normal procedures. Do not allow fire fighting water to escape into waterways or sewers.

**Combustion Products:** Incomplete combustion may produce carbon monoxide

**Unusual Fire/Explosion Hazards:** None known

#### 6. ACCIDENTAL RELEASE MEASURES

**Steps to be taken:** Do not allow spill to enter waterways inhabited by aquatic organisms. Soak up with absorbent material and place in container for disposal.

**Absorbents:** Clay granules, sawdust, dirt or equivalent.

**Incompatibles:** Strong oxidizers

#### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

**Storage:** Do not contaminate water, food or food by storage. Store away from children. Do not use or store near heat or open flame.

**Exposure Limits:** Pyrethrins = 5 mg/m<sup>3</sup> (OSHA PEL & ACGIH TLV)

**Ventilation:** Use with adequate ventilation.

**Personal Protective Equipment:** If prolonged exposure is anticipated, users and handlers should wear a MSHA/NIOSH approved organic vapor/pesticide respirator, impervious gloves, goggles, and other protective clothing to prevent skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance and Odor:** Pale yellow, transparent liquid, odor of isopropyl alcohol

**Boiling Point:** N/A

**Melting Point:** N/A

**Vapor Pressure (mm Hg):** N/A

**Vapor Density (Air = 1):** N/A

**Specific Gravity:** .9504 @ 20°C/4°C

**Bulk Density:** N/A

**Solubility:** Miscible in water

**Evaporation Rate:** N/A

**pH:** 5.47

## 10. STABILITY AND REACTIVITY

**Stability:** Stable

**Reactivity:** Nonreactive

**Incompatibility w/ Other** Strong oxidizers

**Materials:**

**Decomposition Products:** None

**Hazardous Polymerization:** Will not occur

## 11. TOXICOLOGICAL INFORMATION

### **TARGET ANIMAL SAFETY [Petcor Flea Spray]**

No adverse effects have been observed in groups of dogs and cats, when applied at 7 day intervals, at levels up to 5 times the recommended rate.

### **CHRONIC TOXICITY**

**[(RS)-Methoprene Technical]** Methoprene is not considered as an oncogenic compound. The NOEL for non-carcinogenic effects in an 18 month mouse study was 250 ppm.

**[Pyrethrins]** In a 2-year feeding study, rats were fed pyrethrum at dietary levels of 10, 50 and 250 mg/kg/day. The highest level had no significant effect on growth or survival. Slight though definite liver damage was observed, especially at higher dosage levels. In a 90-day feeding study, dogs that were fed pyrethrins at a dietary level of 5,000 ppm showed tremors, ataxia, labored respiration and salivation during the first month of exposure.

**[Piperonyl Butoxide]** In rats at a dietary level of 10,000 ppm of Piperonyl Butoxide, (dosage of 650 mg/kg/day), there was a moderate reduction of weight gain, increased relative weight of the kidneys and increased relative weight of the liver. A 2-year bioassay of technical rats, lymphomas occurred at incidences that were dose related. In the male mice, adenomas of the lacrimal gland occurred at incidences that were dose related but were not significantly higher than that in the control group. Thus, the occurrence of this tumor in the male mice was not clearly related to the administration of Piperonyl Butoxide.q

## **MUTAGENICITY**

**[(RS)-Methoprene Technical]** Methoprene is not a mutagenic compound.

**[Pyrethrins]** was not found to be genotoxic and did not damage DNA in any study conducted.

**[Piperonyl Butoxide]** Piperonyl Butoxide is not considered to be a mutagen.

## **DEVELOPMENTAL/REPRODUCTIVE TOXICITY**

**[(RS)-Methoprene Technical]** is not a teratogenic compound. The NOEL for maternal and embryotoxicity in rabbits was 200 mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

**[Pyrethrins]** was not found to be genotoxic and did not damage DNA in any study conducted.

**[Piperonyl Butoxide]** is not considered to be a mutagen.

## **12. ECOLOGICAL INFORMATION**

### **ENVIRONMENTAL FATE [Based on RS-Methoprene]**

**Hydrolysis:** T1/2 > 4 weeks

**Photolysis:** T1/2 < 10 hours

**Soil half life:** ~ 10 days

**Water solubility:** < 2 ppm

### **ECOTOXICITY [Based on (S)-Methoprene]**

**Acute Toxicity:** fish:LC50 (trout): 760 ppb, (bluegill): > 370 ppb aquatic invertebrates:LC50 (Daphnia): 360 ppb

## **13. DISPOSAL CONSIDERATIONS**

Do not contaminate water or food by disposal. Do not reuse empty container. Wrap and put in trash. Unused product, as a waste material, may be classified as a hazardous waste due to ignitability. Recommended disposal is by an EPA approved hazardous waste management facility.

## **14. TRANSPORT INFORMATION**

**DOT49CFR Description:** N/A Via Highway & Rail. Via Air & Intl: Flammable Liquid, N.O.S. (2-propanol) 3 UN 1993 Pg. 111..

**Freight Classification:** Animal N.O.I. O/T Poison NMFC I 102120 CL60-  
"LTD QTY" After pg. 111 of inner pkg. ≤ .5 LTR or 16.9 FL. OZ.-

## **15. REGULATORY INFORMATION**

**CERCLA (Superfund):** Reportable Quantity (RQ): 1 lb. of Pyrethrin Contact the National Response Center (800)244-8802 for spills exceeding the RQ.

**RCRA:** Regulated due to ignitability.

### **SARA 311/312 HAZARD CATEGORIES**

**Immediate Health:** Yes (irritant)

**Delayed Health:** No

**Fire:** Yes

**Sudden Pressure:** No

**Reactivity:** No

*The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.*